Key

90° horizontal field of view 53.5° horizontal field of view

- 8 turbines with aviation warning lights may be visible

9 - 17 turbines with aviation warning lights may be visible

18 - 26 turbines with aviation warning lights may be visible

27 - 35 turbines with aviation warning lights may be visible

Viewpoint Parameters

OS reference: E144 508, N936 714

Ground Level Elevation: 37m AOD

Camera Height: 1.5m AGL

242° Direction of view to site centre3:

Distance to nearest turbine: 5,721m

Number of nacelle lighting units theoretically visible4: Number of tower lighting units theoretically visible4: 17

Date and time of viewpoint photography: 11/11/2018 @ 07:10

Camera: Nikon D810

50mm (Sigma 50mm 1:2.8 DG)

34

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or

Additional notes:

- 1. This figure has been based on the following parameters: Turbine layout file: LSTORNOWAY045.WFL
- Hub height: 105m/88m
- Rotor diameter: 150m/136m
- Height to blade tip: 180m/156m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.




Stornoway Wind Farm EIA Report


Figure 6D.7a **Viewpoint N9: Tunga (Tong)**

March 2019










H:\Projects\40001 Stornoway Optimisation Feasibility



Eye level: Direction of view:

50mm (Sigma 50mm 1:2.8 DG)

Cumhachd Gaoithe

Stornoway Wind Farm EIA Report

Figure 6D.7d Viewpoint N9: Tunga (Tong)

March 2019

• • •