Key

90° horizontal field of view

53.5° horizontal field of view

1 - 8 turbines with aviation warning lights may be visible

9 - 17 turbines with aviation warning lights may be visible

18 - 26 turbines with aviation warning lights may be visible

27 - 35 turbines with aviation warning lights may be visible

© Crown copyright. All rights reserved. Licence number AL100001776.

Viewpoint Parameters

OS reference: E140 360, N924 890

Ground Level Elevation: 36m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 341°

Distance to nearest turbine: 6,954m

Number of tower lighting units theoretically visible⁴:

Number of nacelle lighting units theoretically visible4:

Date and time of viewpoint photography: 01/11/2018 @ 07:10

Camera: Nikon D810

50mm (Sigma 50mm 1:2.8 DG) Lens:

31

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or

Additional notes:

- 1. This figure has been based on the following parameters: Turbine layout file: LSTORNOWAY045.WFL
- Hub height: 105m/88m
- Rotor diameter: 150m/136m
- Height to blade tip: 180m/156m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.




Stornoway Wind Farm **EIA Report**


Figure 6D.8a **Viewpoint N11: Ranais (Ranish)**

March 2019




Wood.





01/11/2018 07:10



Eye level: Direction of view:

841mm x 297mm (half A1) Camera height:

50mm (Sigma 50mm 1:2.8 DG) 1.5m AGL

Lewis Wind Power
Cumhachd Gaoithe

Stornoway Wind Farm EIA Report

Figure 6D.8d Viewpoint N11: Ranais (Ranish)

March 2019 • • •