Viewpoint Parameters

OS reference: E133 545, N930 745

Ground Level Elevation: 140m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 61°

Distance to nearest turbine: 1,214m

Number of blade tips theoretically visible⁴: 35

Number of hubs theoretically visible⁴: 35

Date and time of viewpoint photography: 29/10/2018 @ 15:55

Camera: Canon EOS 5D Mk2

Lens: 50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

- This figure has been based on the following parameters:
 Turbine layout file: LSTORNOWAY045.WFL
- Hub height: 105m/88m
- Rotor diameter: 150m/136m
- Height to blade tip: 180m/156m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.

Client

Lewis Wind Power

Cumbachd Gaoithe

Stornoway Wind Farm EIA Report

Figure 6.24a Viewpoint 1: A858 / Hebridean Way

March 2019






jects\40001 Stornoway Optimisation Feasibility Study\D040\Drawings\40001-GOS26


Key

90° horizontal field of view 53.5° horizontal field of view 1 - 8 blade tips may be visible 9 - 17 blade tips may be visible

18 - 26 blade tips may be visible

27 - 35 blade tips may be visible







Note: Areas of Proposed Plantation Forestry have been illustrated on this photomontage, where visible, and represents the forestry within the 'Planned New Plantings' boundaries as per Figure 9B.3 in the EIA Report

Direction of view:

841mm x 297mm (half A1) Camera height:

1.5m AGL

Lewis Wind Power
Cumhachd Gaoithe

• • •



Note: Areas of Proposed Plantation Forestry have been illustrated on this photomontage, where visible, and represents the forestry within the 'Planned New Plantings' boundaries as per Figure 9B.3 in the EIA Report

Eye level: Direction of view:

841mm x 297mm (half A1) Camera height:

50mm (Canon EF 50mm f/1.8)

Canon EOS 5D Mk2

1.5m AGL

Lewis Wind Power Cumhachd Gaoithe

Stornoway Wind Farm EIA Report

Figure 6.24e Viewpoint 1: A858 / Hebridean Way

March 2019

• • •