

### Viewpoint Parameters

OS reference:	E130 607, N930 463
Ground Level Elevation:	225m AOD
Camera Height:	1.5m AGL
Direction of view to site centre <sup>3</sup> :	70°
Distance to nearest turbine:	4,072m
Number of blade tips theoretically visible <sup>4</sup> :	35
Number of hubs theoretically visible <sup>4</sup> :	34
Date and time of viewpoint photography:	11/11/2018 @ 13:05
Camera:	Nikon D810
Lens:	50mm (Sigma 50mm 1:2.8 DG)

### Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

### Additional notes:

1. This figure has been based on the following parameters:  
Turbine layout file: LSTORNOWAY045.WFL
  - Hub height: 105m/88m
  - Rotor diameter: 150m/136m
  - Height to blade tip: 180m/156m
2. Turbine positions could be subject to micro-siting (typically up to 50m).
3. Direction given as bearing relative to Grid North (BNG).
4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.



Stornoway Wind Farm  
EIA Report

**Figure 6.29a**  
**Viewpoint 6: Eitseal**

March 2019









Baseline photograph

This image provides landscape and visual context only
















Photomontage

View flat at a comfortable arm's length

Note:  
Areas of Proposed Plantation Forestry have been illustrated on this photomontage, where visible, and represents the forestry within the 'Planned New Plantings' boundaries as per Figure 9B.3 in the EIA Report

OS reference: E130 607, N930 463

Eye level: 226.5m AOD

Direction of view: 63°

Nearest turbine: 4,072m

Horizontal field of view: 90° (cylindrical projection)

Principal distance: 522mm

Paper size: 841mm x 297mm (half A1)

Correct printed image size: 820 x 260mm

Camera: Nikon D810

Lens: 50mm (Sigma 50mm 1:2.8 DG)

Camera height: 1.5m AGL

Date and time: 11/11/2018 13:05

Client

Lewis Wind Power

Cumhachd Gaoithe

Stornoway Wind Farm  
EIA Report

Figure 6.29e  
Viewpoint 6: Eitseal

March 2019

wood.