

### Viewpoint Parameters

OS reference:	E143 183, N931 380
Sea Level Elevation:	0m AOD
Ferry Elevation (Top Passenger Deck):	18m
Viewer Height:	1.5m AGL
Direction of view to site centre <sup>3</sup> :	291°
Distance to nearest turbine:	5,170m
Number of blade tips theoretically visible <sup>4</sup> :	35
Number of hubs theoretically visible <sup>4</sup> :	35

### Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

### Additional notes:

1. This figure has been based on the following parameters:  
Turbine layout file: LSTORNOWAY045.WFL

- Hub height: 105m/88m
- Rotor diameter: 150m/136m
- Height to blade tip: 180m/156m

2. Turbine positions could be subject to micro-siting (typically up to 50m).

3. Direction given as bearing relative to Grid North (BNG).

4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.

Client



Stornoway Wind Farm  
EIA Report

**Figure 6.31a**  
**Viewpoint 8: Stornoway - Ullapool Ferry**  
**Route A**


March 2019



wood.




H:\Projects\40001 Stornoway Optimisation Feasibility Study\0400 Drawings\40001-GOS274.mxd  
Originator: bycc




Wireline drawing View flat at a comfortable arm's length

H:\Projects\40001 Stornoway Optimisation Feasibility Study\04040 Drawings\40001-GOS274.indd Originator: bycc



Wireline drawing

View flat at a comfortable arm's length

Wind Farm Key:  Stornoway Wind Farm  Existing  Consented

OS reference:	E143 183, N931 380	Horizontal field of view:	53.5° (planar projection)
Eye level:	19.5m AOD	Principal distance:	812.5mm
Direction of view:	291°	Paper size:	841mm x 297mm (half A1)
Nearest turbine:	5,170m	Correct printed image size:	820 x 260mm

Client  Lewis Wind Power  
Cumhachd Gaoithe

Stornoway Wind Farm  
EIA Report

Figure 6.31c  
Viewpoint 8: Stornoway - Ullapool Ferry  
Route A

March 2019  
  

wood.