Viewpoint Parameters

OS reference: E144 352, N933 257

Ground Level Elevation: 28m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 268°

Distance to nearest turbine: 5,859m

Number of blade tips theoretically visible⁴: 35

Number of hubs theoretically visible⁴: 35

Date and time of viewpoint photography: 30/10/2018 @ 12:10

Camera: Canon EOS 5D Mk2

Lens: 50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

This figure has been based on the following parameters:
 Turbine layout file: LSTORNOWAY045.WFL

• Hub height: 105m/88m

Knock/

- Rotor diameter: 150m/136m
- Height to blade tip: 180m/156m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.

Client

Lewis Wind Power


Stornoway Wind Farm EIA Report

Figure 6.33a Viewpoint 10: Raon na Crèadha, Stornoway


March 2019








Sign 19



Holm/Tolm








Wind Farm Key: Stornoway Wind Farm Existing Consented

Lewis Wind Power

Cumhachd Gaoithe

1.5m AGL





H:\Projects\40001 Stornoway Optimisation Feasibility Study\D



H:\Projects\40001 Stornoway Optimisation Feasibility Study\D040\Drawings\40001-GOS276.indd Originator: brycc

OS reference: Eye level: Direction of view: E144 352, N933 257 29.5m AOD 279°

Horizontal field of view:

Principal distance:

Paper size:

Correct printed image size:

Camera:

Lens:

Camera height:

Date and time:

Canon EOS 5D Mk2

50mm (Canon EF 50mm f/1.8)

Lewis Wind Power
Cumhachd Gaoithe

Stornoway Wind Farm EIA Report

Viewpoint 10: Raon na Crèadha, Stornoway

y March 20

WOOO