

Direction of view to sit Distance to nearest tur

Number of blade tips

Number of hubs theor

Date and time of view

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;

The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;

A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;

visibility at all locations;

• To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;

• You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image

Additonal notes:

1. This figure has been following parameters: Turbine layout file: LSTOR

• Hub height: 105m/88m • Rotor diameter: 150m/ Height to blade tip: 180

2. Turbine positions cou micro-siting (typically up

3. Direction given as be Grid North (BNG).

4. The number of turbin hubs theoretically visible from the wireline in sets the screening effects of objects and forestry.

	E125 456, N936 078
on:	74m AOD
	1.5m AGL
ite centre ³ :	104°
urbine:	10,165m
theoretically visible4:	28
pretically visible4:	8
point photography:	25/11/2018 @ 12:45
	Nikon D810
	50mm (Sigma 50mm 1:2.8 DG)

Information on the limitations of visualisations:

• The viewpoints illustrated are representative of views in the area, but cannot represent

• The images must be printed at the right size to be viewed properly (260mm by 820mm);


• The ZTV presented here takes no account of the screening effects of vegetation or

based on the	
RNOWAY045.WFL 1 136m 0m/156m	Client
uld be subject to o to 50m).	Stornoway Wind Farm EIA Report
aring relative to	
ne blades and e is counted of 3 and ignores any intervening	Figure 6.36a Viewpoint 13: Rathad a'Phentland (Pentland Road)
	March 2019



റ	0		
പ	ĸ	m	

y Wind Farm	Figure 6.36b		View flat at a comfo	rtable arm's length
	I			
		Uhis limage (provides landsæpe and vi	sual context only
And in the local division of the local divis				



									view nat at a connor table	annstengen
OS reference:	E125 456, N936 078	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D810	Client	Stornoway Wind Farm	Figure 6.36c		
Eye level:	75.5m AOD	Principal distance:	812.5mm	Lens:	50mm (Sigma 50mm 1:2.8 DG)			Viewpoint 13: Rathad a'Phentland (Pentland	March 2019	
Direction of view:	110°	Paper size:	841mm x 297mm (half A1)	Camera height:	1.5m AGL	Lewis Wind Power		Road)	• • •	wood.
Nearest turbine:	10,165m	Correct printed image size:	820 x 260mm	Date and time:	25/11/2018 12:45	Cumhachd Gaoithe				

View flat at a comfortable arm's length

