Viewpoint Parameters

OS reference: E153 046, N934 526

Ground Level Elevation: 76m AOD

Camera Height: 1.5m AGL

264° Direction of view to site centre3:

Distance to nearest turbine: 14.164m

Number of hubs theoretically visible4: 35

Date and time of viewpoint photography: 25/11/2018 @ 10:15

Camera: Nikon D810

50mm (Sigma 50mm 1:2.8 DG)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

• A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;

35

- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

- 1. This figure has been based on the following parameters: Turbine layout file: LSTORNOWAY045.WFL
- Hub height: 105m/88m
- Rotor diameter: 150m/136m
- Height to blade tip: 180m/156m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireline in sets of 3 and ignores the screening effects of any intervening objects and forestry.



Stornoway Wind Farm EIA Report

Figure 6.41a Viewpoint 18: An Rubha - Sulaisiader (Eye Peninsula - Shulishader)

March 2019



Wood.




Arnish Moor @ 14,719m

Creed @ 13,503m

Beinn Ghrideag @ 16,215m

Pentland Road @ 16,414m

Bridge Cottages @ 11,574m



Wireline drawing

OS reference:

Eye level:

Direction of view:

Nearest turbine:

E153 046, N934 526 77.5m AOD 271° 14,164m

Horizontal field of viev Principal distance: Paper size: Correct printed image

812.5mm Lens:
841mm x 297mm (half A1) Camera height:
820 x 260mm Date and time:

Nikon D810 50mm (Sigma 50mm 1:2.8 DG) 1.5m AGL 25/11/2018 10:15

Lewis Wind Power
Cumhachd Gaoithe

Stornoway Wind Farm EIA Report Figure 6.41c Viewpoint 18: An Rubha - Sulaisiader (Eye Peninsula - Shulishader)

March 2019

wood.

View flat at a comfortable arm's length



H:\Projects\40001 Stornoway Optimisation Feasibility Study\D040\Draw



Eye level: Direction of view:

50mm (Sigma 50mm 1:2.8 DG) Cumhachd Gaoithe

Nikon D810

1.5m AGL

Stornoway Wind Farm EIA Report

Viewpoint 18: An Rubha - Sulaisiader (Eye Peninsula - Shulishader)

March 2019