





\\gos-fs14.globe.amec.com\shared\GWM\DATA\PROJECT\40001 Stornoway Optimisation Feasibility Study\0040 Design\GIS\mxd\40001-Gos401.mxd Originator: craig.stewart3



- Key
- Development Site boundary
 - 15km study area
 - Category A listed building
 - Category B listed building
 - Category C listed building
 - Conservation Areas
 - Scheduled Monuments
 - Inventory GDL

- Number of turbines visible
- 1 to 8
 - 9 to 17
 - 18 to 26
 - 27 to 35



0 100 200 400 600 800 m

Scale at A3: 1:15,000

© Crown Copyright. All rights reserved. Licence number AL100001776.

Client



Stornoway Windfarm Optimisation 2019
Environmental Impact Assessment

Chapter 7: Historic Environment

Figure 7.3

**Potential indirect effect receptors within
15km study area**

Page 1 of 10


April 2019



wood.



\\gos-fs14.glocal.amec.com\shared\GWM\DATA\PROJECT\40001 Stornoway Optimisation Feasibility Study\0400 Design\GIS\mxd\40001-Gos401.mxd Originator: craig.stewart3



- Key
- 15km study area
 - Category B listed building
 - Scheduled Monuments

- Number of turbines visible
- 1 to 8
 - 9 to 17
 - 18 to 26
 - 27 to 35



0 130260 520 780 1,040 m

Scale at A3: 1:20,000

© Crown Copyright. All rights reserved. Licence number AL100001776.

Client



Stornoway Windfarm Optimisation 2019
Environmental Impact Assessment

Chapter 7: Historic Environment

Figure 7.3

**Potential indirect effect receptors within
15km study area**

Page 2 of 10


April 2019



wood.



\\gos-fs14.globe.lamec.com\shared\GWM\DATA\PROJECT\40001 Stornoway Optimisation Feasibility Study\0040 Design\GIS\mxd\40001-Gos401.mxd Originator: craig.stewart3



Key

- 15km study area
- Category C listed building
- Scheduled Monuments

Number of turbines visible

- 1 to 8
- 9 to 17
- 18 to 26
- 27 to 35



0 100 200 400 600 800 m

Scale at A3: 1:15,000

© Crown Copyright. All rights reserved. Licence number AL100001776.

Client



Stornoway Windfarm Optimisation 2019
Environmental Impact Assessment

Chapter 7: Historic Environment

Figure 7.3

**Potential indirect effect receptors within
15km study area**

Page 3 of 10


April 2019



wood.



\\gos-fs14.globe.amec.com\shared\GWM\DATA\PROJECT\40001 Stornoway Optimisation Feasibility Study\040 Design\GIS\mxd\40001-Gos401.mxd Originator: craig.stewart3



Key

- 15km study area
- Category B listed building
- Category C listed building

Number of turbines visible

- 1 to 8
- 9 to 17
- 18 to 26
- 27 to 35



0 165330 660 990 1,320 m

Scale at A3: 1:25,000

© Crown Copyright. All rights reserved. Licence number AL100001776.

Client



Stornoway Windfarm Optimisation 2019
Environmental Impact Assessment

Chapter 7: Historic Environment

Figure 7.3


**Potential indirect effect receptors within
15km study area**

Page 5 of 10

April 2019




wood.





\\gos-fs14.globe.amec.com\shared\GWM\DATA\PROJECT\40001 Stornoway Optimisation Feasibility Study\0400 Design\GIS\mxd\40001-Gos401.mxd Originator: craig.stewart3



- Key
- 15km study area
 - Iolaire Memorial
 - Category B listed building
 - Category C listed building
 - Scheduled Monuments
 - Inventory GDL

- Number of turbines visible
- 1 to 8
 - 9 to 17
 - 18 to 26
 - 27 to 35



0 130260 520 780 1,040 m

Scale at A3: 1:20,000

© Crown Copyright. All rights reserved. Licence number AL100001776.

Client



Stornoway Windfarm Optimisation 2019
Environmental Impact Assessment

Chapter 7: Historic Environment

Figure 7.3

**Potential indirect effect receptors within
15km study area**

Page 9 of 10

April 2019



wood.



\\gos-fs14.globe.amec.com\shared\GWM\DATA\PROJECT\40001 Stornoway Optimisation Feasibility Study\0040 Design\GIS\mxd\40001-Gos401.mxd Originator: craig.stewart3



- Key
- 15km study area
 - Category A listed building
 - Category B listed building
 - Scheduled Monuments

- Number of turbines visible
- 1 to 8
 - 9 to 17
 - 18 to 26
 - 27 to 35



0 130260 520 780 1,040 m

Scale at A3: 1:20,000

© Crown Copyright. All rights reserved. Licence number AL100001776.

Client



Stornoway Windfarm Optimisation 2019
Environmental Impact Assessment

Chapter 7: Historic Environment

Figure 7.3

**Potential indirect effect receptors within
15km study area**

Page 10 of 10

April 2019



wood.